

## 22. Index

2-Phase Locking 7-38, 11-24  
2-Phase Commit 7-50, 19-4  
2.2-Tier 7-10, 7-12, 7-25  
3270 Bildschirm 9-6, 18-1  
3270 Protokoll 9-4, 9-7, 18-8  
3-Tier 7-11, 7-12  
3390 Festplattenspeicher 5-29, 5-31 ff.  
3990 Control Unit 5-29, 5-31  
Abend 7-48  
Access Method 6-9  
ACID 7-14, 7-25, 7-26, 10-6  
Adabas AG  
Adressumsetzung 2-12, 2-16, 2-21, 12-18, 12-19  
Advanced Analytics 14-49  
AIX 17-1  
Allocating a Data Set 3-39, 3-42  
Altersstruktur 1-21  
Android 19-34  
Annotation 15-38  
Anwendungsarchitektur 20-34 ff.  
APPC 18-5  
Application Programming Interface (API) 9-36  
Application owning Region (AOR) 9-31, 9-32  
ARIS 20-45  
ARM Holdings 1-30  
ATTACH Macro 3-45  
Auxiliary Storage 2-18  
Availability (Verfügbarkeit) 1-8  
  
Backward Recovery 7-47  
Basic Mapping Support (BMS) 8-29, 8-47, 9-10 ff., 9-17, 18-28  
Batch Processing 3-6, 3-24  
Big Endian 1-33  
Bit Vector 11-21, 11-22  
Blade 14-32 ff.  
Blade Center (Blade Enclosure) 14-33 ff.  
Block 3-39, 3-42, 6-10  
Block Table Address Register 12-44  
Book 4-29, 4-33 ff.  
Buffer 6-23  
Buffer Pool 5-44, 7-6, 11-38, 11-39  
Business Intelligence (BI) 14-49  
Business Logic 7-8, 9-1, 15-23, 18-15  
Business Object 16-4  
Business Process Execution Language (BPEL) 20-47  
Business to Business (B2B) 20-27

Byte Code 15-1  
Byte Count Register (BCR) 5-10

C/C++ 16-34, 17-7  
Cache 2-34  
Cache Directory 2-37  
Cache Hierarchy 4-18  
Cache Line 2-37  
Cache Structure 11-20  
Cast out 11-44, 11-45  
Catalog...6-25  
CEDA 8-46, 17-35  
Channel 5-8, 5-13, 5-14 ff., 5-29, 10-16  
Channel End Device End (CEDE) 5-30  
Channel, Channel Path 5-14, 5-19  
Channel Control Word (CCW) 5-20, 5-30  
Channel Initiator 10-21  
Channel Path Identifier (CHPID) 5-15  
Channel Program 5-30 ff.,  
Channel Subsystem. 5-22 ff.  
Channel to Channel Protocol (CTC) 5-35, 11-12, 11-14  
Character User Interface (CUI) 9-4  
CICS 8-3 ff.  
CICS Container 19-24  
CICS Domäne 8-33  
CICS Execute Interface Block (EIB) 8-40  
CICS File Manager 8-40  
CICS Nucleus 8-30 ff., 19-16  
CICSplex 9-33  
CICS Program Manager 8-33 ff.  
CICS Shell 8-50  
CICS Storage Manager 8-38 ff.  
CICS Task Manager 8-33 ff.  
CICS Temporary Storage (TS) 8-40  
CICS Terminal Manager 8-33, 8-47  
CICS Task Manager 8-36  
CICS Transaction Gateway 18-34  
CICS Transient Data (TD) 8-40  
CICS Universal Client 18-30  
Classification 13-20, 13-24, 13-25  
Class Loader 15-5  
Client/Server 7-1, 10-1 ff.  
Client Stub 10-2  
Cluster 11-2, 11-4  
CMS 12-16  
Collating Sequence 6-30  
COMMAREA 8-39, 9-14, 18-17 ff., 20-17, 20-25, 20-30  
Commit 7-17, 7-21, 7-26, 7-38, 7-43  
Common Client Interface (CCI) 18-39 ff.  
Communication Server 3-48, 18-4  
Concurrency 7-36, 16-18  
Control Area 6-22  
Controler (WAS) 17-38  
Control Interval (CI) 6-19 ff.  
Control Register 1-29

**Control Unit** 1-37, 5-19, 5-22  
**Copybook** 9-37, 20-22  
**Corba** 9-5, 10-4, 16-8, 16-22, 20-19  
**Coupling Facility (CF)** 11-11, 11-13, 11-15 ff.  
**Coupling Facility Cache Directory**  
**Coupling Facility Control Code (CFCC)** 11-10, 11-15, 11-19  
**Coupling Link** 11-3, 11-17, 11-18  
**Coupling Support Facility** 11-17, 11-18  
**CPI-C** 10-4  
**cron** 3-8  
**Crossbar Switch** 11.3  
**CRUD (Create, Read, Update, Delete)** 8-17  
**Coupling Facility** 11-10, 11-14 ff.  
**Coupling Facility Control Code** 11-10, 11-18  
**Current Multiprogramming Level (CMPL)** 13-14

**Data Facility Storage Management System** 3-40  
**Data Mining** 14-47  
**Dataset** 6-6  
**Dataset Namen** 6-11  
**Data Warehouse** 14-46  
**Dateisystem** 3-38  
**Datenbank** 7-2 ff.  
**Daten Cache** 2-38  
**Datensystem** 7-5  
**DCA** 4-34  
**DCE RPC** 10-4, 16-25  
**Decimal Floating Point** 1-31  
**Demand Paging** 2-19  
**Deployment Descriptor** 17-16 ff.  
**DFSMS** 3-40, 14-8  
**Digital Equipment Corporation** 1-27, 4-1  
**DIMM** 4-34, 4-37, 4-43, 11-5, 11-9, 12-4  
**Dinosaurier Mythos** 1-3  
**Direct Access Storage Device (DASD)** 5-29  
**Direct Dataset** 6-7  
**Direct Memory access (DMA)** 5-8  
**Director, FICON Director** 5-16, 5-25, 11-11, 11-12, 11-14  
**Discretionary** 13-22  
**Distributed Objects** 15-33  
**Distributed Program Link (DPL)** 9-35, 10-4, 18-17, 18-32, 20-12, 20-17  
**Distributed Server** 17-36  
**Distributed Transaction** 7-49 ff.  
**Distributed Transaction Programming (DTP)** 9-35  
**Distributed Transaction System** 19-2  
**DMA** 5-8 ff.  
**DotNet** 10-4, 16-11  
**DRAM –** 2-34  
**Drucker** 5-55  
**DS68000** 5-15  
**DTD** 20-1  
**Dynamic Address Translation** 2-12  
**Dynamic Channel Path Management** 12-48  
**Dynamisches SQL** 7-22, 7-32  
**Dynamic Path Selection (DPS)** 5-23

Eager und Lazy Locking 11-37  
EBCDIC 1-32  
e-Business 17-28  
ECI 9-5, 18-17, 18-19, 18-32, 18-39, 18-43  
Eclipse 3-55, 15-13, 20-25  
EDRAM 4-12  
eEPK 20-45  
EJB Container 15-30 ff., 17-16, 17-26, 17-38  
Embedded SQL 7-20, 7-27, 8-11  
Emulator 12-7  
Enclave 19-10 ff.  
Ensemble 14-44  
Enterprise Archive (EAR) 17-23  
Enterprise Information System (EIS) 18-37 ff., 19-7  
    A. Enterprise Java Beans (EJB) 7-11, 9-5, 15-30 ff., 18-34  
Enterprise Service Bus 20-48  
Enterprise Storage Server (ESS) 5-8, 5-26, 5-44 ff.  
Entity Bean 15-36  
Entry Sequenced Dataset (ESDS) 6-17, 6-27, 6-28  
EPI 9-5, 18-17, 18-20, 18-39  
Enterprise Resource Planning (ERP) 18-37  
ETL (Extraktion, Transformation, Laden) 14-46, 14-49  
EXCI 18-29, 18-43, 20-26  
Exclusive Lock 11-24  
EXEC CICS 8-6 ff., 8-12  
EXEC CICS LINK 9-35, 18-32  
EXEC CICS SEND MAP 9-13, 9-16  
EXEC SQL 7-26, 8-12  
Execution Velocity 13-21 ff.  
External Call Interface (CI) 9-5, 9-9  
External CICS Interface (EXCI)  
External Programming Interface (EPI) 9-5, 9-9  
Externer Seitenspeicher 2-17

Fabric Book Connectivity (FBC) 4-29  
Fachliche Aktivität 20-38  
Fanout Card 4-35, 5-8  
FATA 5-17, 5-47  
Fat Client 7-9  
FC-SCSI 5-17  
Forms 15-16 ff.  
FPGA 14-53 ff.  
Function Shipping 9-30  
Fehlseitenunterbrechung 2-19  
Fibre Channel 5-16, 14-40  
Fibre Channel Arbitrated Loop (FC-AL) 5-16, 5-46, 5-48  
Fibre Channel Switched Fabric (FC-SW) 5-16  
FICON 5-12, 5-12, 5-14, 5-15, 5-25, 5-29, 5-34, 5-46  
File owning Region (FOR) 9-31  
Firmware 5-20, 12-29, 18-5  
Flattern 13-11  
Flexible Support Processor (FSP) 4-34, 14-17  
Force at commit 11-37, 11-40, 11-42  
Full-Time Equivalent 1-18

Gartner 1-5  
Gast Betriebssystem 12-10  
Gast Kernel 12-10, 12-14  
Gast Modus 12-25  
General Purpose Register 1-29  
Geographically Dispersed Parallel Sysplex (GDPS) 9-19, 14-1  
Geschäftsprozess 20-33, 20-38, 20-40, 20-44  
Gleitkommaregister 1-29, 6-1  
Globaler Speicher 11-5  
Globale Transaktion 19-6  
Global Lock Management 11-30  
Global Mirrot 14-3  
Goal 13-5  
Goal Oriented Work Load Manager (Goal-WLM) 13-6, 13-9, 13-16  
Goal Orientierung 13-17  
Graphical User Interface (GUI) 9-4  
Group 8-44, 17-19

Handle 10-38  
Hardware Management Console 1-36, 3-29, 14-17  
Hardware System Area (HSA) 4-38, 12-29  
Harte Partitionierung 12-5  
Hash 11-32, 11-33  
Heap 15-3  
Hierarchical File System 6-15, 17-7  
HiperSockets 12-53, 14-39  
HMC 1-36, 14-17, 14-43  
Host Access Transformation Services (HATS) 18-21 ff.  
Host Betriebssystem 12-10  
Host Channel Adapter (HCA) 5-9  
Host Kernel 12-10, 12-14  
Host Modus 12-25  
Hot Plug 5-50  
HP 4-4  
HP-UX 11-9, 17-1  
HTML 15-14, 20-1  
HTTP15-15  
HTTP Internal Transport 17-42. 17-43  
HTTP-Server 15-41  
Hypervisor 12-10

IDCAMS 6-26  
Idempotent 7-42  
IEDN (Intraensemble Data Network) 14-38  
IIOP 16-8, 16-10, 16-22, 16-33  
Importance 13-20, 13-24  
IMS 3-45 ff., 20-10  
IDAA (IBM DB2 Analytics Accelerator for z/OS) 14-60 ff.  
Indexed Dataset 6-7  
Infiniband 4-35  
INMN (Intranode Management Network) 14-38  
IND\$FILE 18-10  
Instruction Cache 2-38  
Integrated Coupling Facility (ICF) 14-13

**Intelligent Resource Director (IRD)** 12-41  
**Interaktive Verarbeitung** 3-6  
**Interface Definition Language (IDL)** 16-3, 16-29, 20-2, 20-16  
**Internal Queued Direct I/O (iQDIO)** 12-52  
**Interoperable Object Reference (IOR)** 16-8, 16-12, 16-22  
**Interpretive Execution Facility (IEF)** 12-16  
**Interprocess Communication** 9-28, 18-5  
**Intersystem Communication (ISC)** 9-28, 9-29, 9-35 ff., 20-26  
**I/O Adapter Card** 4-39  
**I/O Drawer** 4-39, 5-8  
**ISPF** 3-19, 3-32, 3-37, 3-42, 3-55, 17-9  
**ISPF Editor** 17-9

**Java Archive (jar)** 17-19 ff.  
**Java Beans** 15-24 ff.  
**javac Compiler** 16-32  
**Java Connector Architecture (JCA)** 18-39  
**Java Database Connectivity (JDBS)** 7-19, 7-21, 7-23, 15-35, 18-40  
**Java Enterprise Edition (JEE)** 15-29  
**Java Interface Definition Language (JIDL)** 15-35  
**Java Management API (JMAPI)** 15-35  
**Java Message Driven Bean (MDB)** 15-48, 18-44  
**Java Message Service** 10-13, 15-35, 18-44  
**Java Naming and Directory Interface (JNDI)** 15-35, 15-38, 20-12  
**Java Remote Message Protocol (JRMP)** 16-15, 16-28 ff.  
**Java Runtime** 15-6  
**Java Server Page (JSP)** 7-11, 15-21 ff.  
**Java Transaction API** 19-1  
**Java Threads** 16-18  
**Java Transaction Service (JTS)** 15-35  
**JCICS** 19-25  
**JCL** 3-10, 3-17, 13-36  
**JDK** 15-5  
**JES** 3-3  
**JES** 3-7, 3-21  
**Job** 3-7  
**Job Scheduler** 3-7, 3-11, 3-23  
**JRIO** 15-11  
**Just in Time Compiler (JIT)** 15-8  
**JVM (Java Virtuelle Maschine)** 12-7, 15-1 ff.  
**JVM Pool** 19-26 ff.  
**JVM Server** 19-33

**Kerberos** 7-40, 7-44  
**Key Field** 6-29  
**Key Sequenced Dataset (KSDS)** 6-17, 6-29  
**KVM (Kernel based Virtual Machines)** 14-43  
**Knoten** 11-4, 11-12 ff.

**L2 Cache** 2-39  
**L4 Cache** 4-17, 4-29  
**Language Environment (LE)** 19-10 ff.  
**LDAP** 16-22  
**Library** 6-14  
**Linear Dataset (VSAM)** 6-17, 6-37

Link Processor 11-18, 11-20  
Listener 10-2215-50  
List Structure 11-20, 11-47  
Load Balancer 13-1, 17-30, 17-37  
Lochkarte 3-14..3-16  
Local Lock Management (LLM) 11-30  
Lock 7-37, 11-17, 11-20  
Locking 7-35, 11-23  
Lock Management 11-34  
Lock Manager 7-41  
Lock Structure 11-20  
Logical file System 17-12  
Logical Memory Block (LMB) 12-35, 12-42  
Logical Partition – siehe LPAR  
Logical Volume (LV) 5-33  
Logische CPU 12-46  
Logischer Record 3-39  
Log 7-46  
Log Manager 7-41  
LPAR 12-31 ff.  
LPAR CPU Management 12-45 ff.  
LU 2 18-5, 18-8 ff.  
LU 6.2 18-5 ff., 18-31

Magnetband Kasette 5-51  
MAP 8-42  
Mapset 8-42 ff.  
Master Console 3-29  
Mehrfachrechner 11-1  
Mehrzweckregister 1-29, 6-1  
Member 6-13  
Memory Bus Adapter (MBA)...5-9  
Memory Control Unit (MCU) 4-37  
Message Based Queuing (MBQ) 10-6  
Message Channel 10-8, 10-29  
Message Channel Agent (MCA) 10-18  
Message Handler 20-28  
Message Queue 10-16  
Message Queuing Interface (MQI) 10-11 ff., 10-37 ff.  
Message Queue Object Descriptor (MQOD) 10-19, 10-24, 10-26  
Metro Mirror 14-3  
Microcode 5-20  
Middleware 10-10  
Minidisk 12-13, 12-16  
MQ CICS Bridge 10-33  
MQ Channel, MQ Message Channel 10-14, 10-17  
MQI Channel 10-30  
MQGET 10-11  
MQPUT 10-11  
MQSeries – siehe WebSphere MQ  
MRO 9-29, 20-26  
Multi Chip Module 4-6, 4-19 ff., 4-29  
Multilayer Ceramic 4-23 ff.  
Multiple Image Facility (MIF) 12-50  
Multiprogrammierung 2-8, 2-11

**Multiprogramming Level (MPL)** 13-14  
**Multiregion Communication** 9-28 ff.  
**Multiple Sysplex** 14-5  
**MVS** 3-5

**NACT** 8-13  
**Namens- und Verzeichnis Dienst** 16-19  
**Netezza – siehe PureData System for Analytics** ff  
**Net Weaver** 15-31.  
**Non-Uniform Memory Architektur (NUMA)** 4-13, 12-3, 12-4  
**Non-Volatile Storage (NVS)** 5-45, 5-46  
**Non-VSAM** 6-12

**Object Reference** 16-19  
**Object Request Broker (ORB)** 16-7, 16-31  
**Object RPC** 16-5  
**OEMI** 5-14  
**OMVS Command** 17-9, 17-10  
**Online Transaction Processing (OLTP)** 20-43  
**Operater Console** 3-29  
**Oracle** 3-46, 17-8, 18-37  
**OS/360** 3-5  
**OS/390** 3-5  
**OSA Adapter** 5-34, 12-53, 14-39  
**OSGi Bundle** 19-33  
**OSI** 18-1  
**Outage** 1-10  
**OSX Adapter** 14-39

**Package** 7-20  
**Paravirtualisierung** 12-9, 12-24  
**Partitioned Dataset** 6-7, 6-13 ff.  
**PCI** 4-34, 4-35, 4-40, 5-8  
**PDS Directory** 6-13  
**Pentium Pro** 4-28  
**Performance Index (PI)** 13-23  
**Persistenz** 5-43, 15-33  
**Physical File System** 17-12  
**Physischer Record** 3-39  
**Pipe Line (CICS)** 20-28  
**Plug-in** 15-42ff.  
**POSIX** 17-2  
**POST** 15-16  
**Problemstatus** 2-25, 12-25  
**Program Control Table** 8-47  
**Plattenspeicher Cache** 5-44  
**Präsentationslogik** 7-8, 9-1, 15-23, 18-15  
**Presentation Services** 7-40  
**Prozess** 2-6, 20-33  
**Prozessverwaltung** 3-44  
**PR/SM** 12-8, 12-30 ff.  
**PU 2** 18-5, 18-8 ff.  
**PU 4** 18-5  
**PU 5** 18-5, 18-8 ff.  
**Publishing (XML Database)** 20-5



**PureData System for Analytics (Netezza) 14-51**

**Quasireentrant 9-34**

**Queue – siehe Message Queue**

**Queued Direct I/O (QDIO) 12-51**

**Queue Manager 10-10, 10-11**

**RACF 3-50**

**Rahmen 2-13**

**RAMAC 5-1**

**Rational Developer for System z (RDz) 3-55, 15-13**

**Record 6-5**

**Read/Write (R/W) 5-52**

**Reale Adresse 12-32**

**Realer Speicher 2-14, 12-19, 12-31**

**Record Level Sharing (RLS) 9-33**

**Recovery Unit (R-Unit) 4-15**

**Redundant Array of independent Disks (RAID) 5-35 ff.**

**Redundant Array of independent Memories (RAIM) 4-37, 20-25**

**Region 2-8 ff., 3-4, 3-23, 3-26, 3-33, 8-32**

**Registry 16-19**

**Relative Record Dataset (RRDS, VSAM) 6-17, 6-37**

**Remote Procedure Call (RPC) 10-1, 10-2, 10-4, 16-1 ff., 20-12**

**Resettable JVM 19-32**

**RMI over IIOP (RMI/IIOP) 16-17, 16-27 ff.**

**Repository 7-41, 7-46**

**Resource Adapter (RA) 18-39 ff.**

**Resource Manager 7-34, 19-6 ff.**

**Resource Management Facility (RMF) 13-6, 13-9**

**Resourcen 13-5**

**Resource Recovery Services (RRS) 7-53, 19-4, 19-9**

**Response Time 13-21 ff.**

**Return Code 10-38**

**REXX 3-12**

**Rezentralisierung 12-56**

**rlogin 17-9**

**RMI 10-4, 16-12 ff., 20-18**

**rmic Compiler**

**Rollback 7-13, 7-27, 7-47, 7-48**

**RPC Server 16-16**

**RPC Service 16-16**

**SAF 3-52**

**SAP (System Assist Processor) 4-40, 5-21, 12-29**

**SAP AG 5-21, 11-12, 11-29, 18-37**

**SATA 5-12, 5-17, 5-47**

**S- Blade 14-53 ff.**

**Scheduler 2-9 ff., 2-30 ff., 12-13**

**Screen Scraping 9-19 ff., 18-20**

**SCSI 5-12 ff.**

**Seagate 5-4, 5-12**

**Seitentabelle 2-14**

**Security Server 3-49**

**Sensitive Befehle 12-10, 12-23, 12-25**

**Serial ATA (SATA) 5-12**

Sequential Dataset 6-7, 6-8  
Servant 17-38  
Server Stub 10-2  
Service Class 13-5, 13-18 ff. 13-29 ff.  
Service Definition 13-20, 13-26, 13-29  
Service Unit 13-5  
Servlet 7-11, 15-19 ff.  
Servlet Container 15-20, 17-16, 17-26, 17-38  
Session Façade 15-37  
Session Bean 15-36  
Shadow Page Table 12-22, 12-28  
Shared Data 14-50  
Shared Lock 11-24  
Shared Nothing 14-50  
Shell 17-7, 17-9  
Shredding 20-4  
Skalierung 11-50, 12-1, 18-45  
Skeleton 10-2, 16-1, 20-17  
SNA 3-48, 10-4, 18-1 ff.  
SNA Session 18-5  
Slot 7-6  
Sneakernet 10-15  
SOA (Service Oriented Architecture) 20-43  
Soap RPC 9-5, 10-4, 20-11, 20-16  
Soap Message Adapter 20-27  
Socket 10-212-53. 16-2  
Solaris 11-9, 17-1  
Solid State Drive 3-40, 5-7  
Spanned Record 6-24  
Speicherschutz 1-34, 2-25, 19-16  
Speichersystem 7-5  
Split (Control Interval oder Control area) 6-21  
Split Cache 2-38  
Spool File 3-24  
SQL 7-4, 7-5, 7-9, 7-18 ff., 7-25 ff., 14-55, 14-59, 20-4  
SQLJ 7-19, 7-21, 7-23, 18-40  
SQL Precompiler 7-21  
SRAM 2-34  
SSL 4-16  
Stack 15-3  
Stapelverarbeitung 3.6, 3-22  
Statisches SQL 7-22, 7-32  
Storage Address Register (SADR) 5-10  
Storage Area Network (SAN) 5-27  
Stored Procedure 7-28 ff.  
Storage Protection 1-34  
Structured File Server (SFS) 17-37  
Subchannel 5-26  
Stub 10-1, 16-1, 20-17  
Submit Command 3-19  
Subsystem 3-26..3-28, 3-33, 3-44  
Subworkflow 20-41  
Sun 4-1, 4-2, 4-3, 11-6  
Sun RPC 10-4  
Sun Fire System Board 11-6 ff.

Superdome 4-4, 11-9  
Supervisor (siehe Kernel, Überwacher) 2-30, 2-31  
Supervisor Call (SVC) 2-26, 2-28, 2-29, 5-30, 17-5  
Support Element...4-36, 4-42, 14-17  
Symmetrischer Multiprocessor (SMP) 9-28, 11-2, 11-11, 11-13, 12-1  
Synchroner RPC 10-5  
Synchronisation 7-36, 16-18  
String Name 16-19  
Sync Point Manager 7-52, 19-4  
Sysplex 9-33, 11-10 ff., 13-33  
Systemaufruf 2-28, 2-29  
System Console 3-29  
System Management Facility (SMF) 13-6, 13-8  
System 11-12 ff., 13-34  
System p 4-1  
Sysplex Performance 11-49  
System Resource Manager (SRM) 13-6 ff.

Table Space 7-6  
Tape Drive 5-52  
Tape Library 5-53  
Target Multiprogramming Level (TMPL) 13-14  
TCB 2-6, 2-9, 2-31, 2-32, 3-45, 9-31, 19-16, 19-20  
Target Queue 10-8, 10-19, 10-20, 10-26, 10-35  
TCP62 18-12, 18-17  
TCP-C 11-37  
Technische Aktivität 20-38  
Technologische Führungsposition 1-6  
Terminal 7-40  
Terminal Control Address Space 3-32  
Terminal Control Table 8-47  
Terminal owning Region (TOR) 9-31  
Thermal Conduction Module 4-25 ff.  
Thread 3-44, 3-45, 19-18  
Thumb-2 1-30  
Time Slicing 2-10  
Tivoli 13-39  
TN3270 18-11, 18-17  
Total Cost of Ownership (TCO) 1-13  
TP Monitor – siehe Transaction Monitor  
Trader Benchmark 18-46  
Transaction 7-13 ff.  
Transaction Manager... 7-52, 19-6 ff.  
Transactional Memory 7-17  
Transaction Monitor 7-34 ff., 19-1  
Transaction Processing Facility (TPF, auch z/ZPF) 3-1, 8-2, 8-3  
Transaction Processing Monitor – siehe Transaction Monitor  
Transaction Routing 9-30  
Transaction Server – siehe Transaktionsmonitor  
Transaction Service – siehe Transaktionsmonitor  
Transmission Queue 10-8, 10-20  
TRID (Transaction ID) 7-40, 8-14, 8-45, 20-17  
Trigger 10-27, 10-31, 10-32, 10-35  
Trigger Monitor 10-22  
TSO 3-3, 3.31

**Tuxedo 7-31**

**TX Interface 19-8, 19-9**

**Überwacher 2-5 ff., 2-30, 2-31**

**Überwacher Status 2-25, 12-25**

**UDDI (Universal Description, Discovery and Integration) 20-12**

**Uniform Resource Identifier (URI) 20-12**

**Unified Resource Manager 14-41 ff.**

**Unit Record 9-14**

**Unix File System 6-3, 6-4**

**Unix System Services (USS) 3-3, 17-1 ff.**

**Unterbrechung 2-26, 2-27**

**Unterbrechungsgesteuerte Ein/Ausgabe 5-10**

**User Status 2-25**

**USS TCB 17-13**

**Verfügbarkein (Availability) 1-8**

**Verteilte Lock Tabelle 11-27**

**vi editor 17-9**

**Virtual Local Area Network 12-53**

**Virtuelle Maschine 12-8 ff.**

**Virtuelle Partitionierung 12-7**

**Virtueller Speicher 2-14, 12-19**

**Virtual Tape Server (VTS) 5-55**

**Volume 5.28**

**VSAM 3-38, 6-6, 6-12, 6-16 ff., 8-16, 8-49, 9-33, 19-1,**

**VSAM Cluster 6-32, 6-33**

**VSAM Data Component 6-32, 6-34**

**VSAM Index 6-32**

**VSAM Index Set 6-34**

**VSAM Index Component 6-32**

**VSAM Multilevel Index Component 6-34**

**VSWITCH 12-53**

**VTAM 18-5, 18-7**

**Web Application 17-21**

**Web Application Server 15-31**

**Web Archive (WAR) 17-23**

**Web Container 17-16, 17-21, 17-42**

**Web Logic 15-31**

**WebSphere Application Server (WAS) 10-10, 15-31, 16-36, 17-33 ff., 17-36**

**WebSphere MQ 9-5, 10-6 ff., 17-33**

**Web Service 20-3, 20-11 ff.**

**Web Service Provider 20-27 ff.**

**Web Service Requestor 20-27 ff.**

**Work 13-5**

**Workflow 20-38**

**Work Load Manager (WLM) 13-1 ff., 17-40**

**Work Unit 13-5**

**WORM Magnetbandkassette 5-51**

**WSDL 20-11, 20-20 ff.**

**X.25 8-1**

**X.400 8-1**

**X.500 8-1**

X.509 8-1  
XA Interface 19-8, 19-9  
XCF (Cross System Communication Facility) 5-35, 11-12, 11-14  
XES (Cross System Extension Services) 11-30  
XHTML 20-2  
XML 20-1 ff.  
XML enabled Data Base 20-4, 20-7  
XML native Data Base 20-4, 20-8  
XML Parser 20-3  
XSD 20-1  
XSLT 20-1, 20-4  
X/Open 19-6  
X/OPEN XA 19-6  
XPG 4.2 17-2

Zeitscheiben Steuerung 2-10  
Zugriffssystem 7-5  
z9 4-8  
z10 4-8  
z196...4-8  
zBX (zEnterprise Blade Center Extension) 8-3, 14-27 ff.  
zEC12 4-8  
zLinux 3-1, 12-36  
Zone Origin Register 12-31  
z/VM 12-16  
Zylinder 5-6





